



VAISHALI POLES

Leading Manufacturer of Lamp Poles &
General Order Suppliers

Established in the year 1997, Vaishali Poles is one of the distinguished manufacturer immersed in the arena of presenting to our customers highly reliable Swaged Pole, High Mast Pole, Bend Pipe, Junction Box, etc. The personnel delivering these services are selected from some of the capable personnel present in the industry. Broadly cherished owing to its reliability, these offered services are highly acclaimed.





Catalogue Contents

- All Type Decorative Pole
- Decorative Arm Bracket
- Octagonal Pole
- High Mast Pole (12M / 16M / 20M / 25M / 30M)
- High Mast Pole Specification
- National Flag High Mast
- Solar High Mast Pole
- Tubular Street Light Pole
- Pole Dimensional Specifications
- Petrol Pump Street Light Pole
- Street Light Pole
- Tubular Pole
- Step Down Tubular Pole
- SS Street Light Pole (Stainless Steel)
- Solar Pole & Structure
- Decorative Pole
- Square Decorative Pole
- Control Panel Box
- Contact Us



All Type Decorative Pole & Arm Bracket





Octagonal Pole

High Mast Pole



[12M / 16M / 20M / 25M / 30M]

High Mast Pole Specification

Sr. No.	Height of Mast (in mtr)	No. of Luminaire	Top A/F (in mm)	Bottom A/F (in mm)	No. of Section	Section Length			Section Wise Thickness			Base Plate (in mm)	PCD (in mm)	Foundation Bolt Details	Approximate Weight of Shaft with Foundation Bolt (in kg)
						Top	Middle	Bottom	Top	Middle	Bottom				
1	10	4 to 6	100	310	2	5250	x	5250	3	x	3	470 X 25	390	6 Nos X M24 X 750 mm	
2	12	6 to 8	150	360	2	6250	x	6500	3	x	3	520 X 25	445	6 Nos X M24 X 750 mm	500 to 550
3	12.5	4 to 6	150	300	2	6500	x	6500	3	x	3	520 X 25	445	6 Nos X M24 X 750 mm	500 to 550
	12.5	6 to 8	150	360	2	6500	x	6500	3	x	3	520 X 25	445	6 Nos X M24 X 750 mm	500 to 550
4	16	6 to 8	150	360	2	8300	x	8300	3	x	3	540 X 25	445	8 Nos X M30 X 850 mm	650 to 750
	16	9 to 12	150	410	2	8300	x	8300	3	x	3	570 X 30	490	8 Nos X M30 X 850 mm	650 to 750
	16	12 to 16	150	460	2	8300	x	8300	3	x	4	670 X 30	590	8 Nos X M30 X 850 mm	800 to 950
5	20	6 to 9	150	360	2	10300	x	10300	3	x	4	540 X 30	460	8 Nos X M30 X 850 mm	800 to 950
	20	9 to 12	150	410	2	10300	x	10300	3	x	4	570 X 30	490	8 Nos X M30 X 850 mm	800 to 950
	20	12 to 16	150	460	2	10300	x	10300	3	x	4	670 X 30	590	8 Nos X M30 X 850 mm	800 to 950
6	25	9 to 12	150	460	2	8750	8750	10300	3	4	4	670 X 30	590	12 Nos X M30 X 850 mm	800 to 950
	25	12 to 16	150	480	3	8800	8800	8800	3	4	5	690 X 30	590	12 Nos X M30 X 850 mm	1200 to 2000
	25	16 to 20	150	540	3	8800	8800	8800	4	4	5	730 X 30	650	12 Nos X M30 X 850 mm	1200 to 2000
7	30	9 to 12	150	540	3	10500	10500	10500	3	4	5	740 X 32	650	12 Nos X M30 X 850 mm	1200 to 2000
	30	12 to 16	150	600	3	10500	10500	10500	4	4	5	840 X 36	740	12 Nos X M30 X 850 mm	1200 to 2000
	30	16 to 20	150	610	3	10500	10500	10500	4	5	6	840 X 36	740	16 Nos X M30 X 850 mm	1200 to 2000



NATIONAL FLAG HIGH MAST

Solar High Mast Pole



Tubular Street Light Pole



Pole Dimensional Specifications

DESIGNATION	OVERALL LENGTH	PLANTING DEPTH	LOAD APPLIED FROM THE TOP	HEIGHT ABOVE GROUND	LENGTH OF SECTION			OUSTSIDE DIAMETER AND THICKNESS OF SECTIONS			APPROX WEIGHT OF POLE	BREAKING LOAD	CRIPPLING LOAD	WORKING LOAD		LOAD FOR PARMANENT SET NOT EXCEEDING 13 mm	LOAD FOR TEMPORARY DEFLECTION OF 157.5 mm
	(m)	(m)	(m)	(m)	Bottom h 3 (m)	Middle h 2 (m)	Top h 1 (m)	Bottom (mm)	Middle (mm)	Top (mm)	Kg	N(Kgf)	N(Kgf)	Col 14 2 N(kgf)	Col 13 2.5 N(kgf)	N(Kgf)	N(kgf)
410- SP -01	7.00	1.25	0.30	5.75	4.00	1.50	1.50	114.3 x 3.65	88.9 x 3.25	76.1 x 3.25	62	2570 (262)	1820 (186)	912 (93)	1030 (105)	1245 (127)	785(80)
410- SP -02	7.00	1.25	0.30	5.75	4.00	1.50	1.50	114.3 x 4.50	88.9 x 4.05	76.1 x 3.25	73	3100 (316)	2240 (224)	1100 (112)	1240 (126)	1510 (154)	941(96)
410- SP -03	7.00	1.25	0.30	5.75	4.00	1.50	1.50	114.3 x 5.40	88.9 x 4.85	76.1 x 3.25	85	3630 (370)	2580 (263)	1280 (131)	1450 (148)	1760 (180)	1090 (111)
410- SP -04	7.50	1.25	0.30	6.25	4.50	1.50	1.50	114.3 x 3.65	88.9 x 3.25	76.1 x 3.25	67	2350 (240)	1670 (170)	1320 (135)	941 (96)	1150 (117)	627 (64)
410- SP -05	7.50	1.25	0.30	6.25	4.50	1.50	1.50	114.3 x 4.50	88.9 x 4.05	76.1 x 3.25	79	2760 (281)	1960 (200)	981 (100)	1100 (112)	1340 (137)	745 (76)
410- SP -06	7.50	1.25	0.30	6.25	4.50	1.50	1.50	114.3 x 5.40	88.9 x 4.85	76.1 x 3.25	93	3320 (339)	2360 (241)	1180 (120)	1330 (136)	1620 (165)	873 (89)
410- SP -07	7.50	1.25	0.30	6.25	4.50	1.50	1.50	139.7 x 4.50	114.3 x 3.65	88.9 x 3.25	97	4330 (442)	3080 (314)	1540 (157)	1740 (177)	2110 (215)	1400 (143)
410- SP -08	7.50	1.25	0.30	6.25	4.50	1.50	1.50	139.7 x 4.85	114.3 x 3.65	88.9 x 3.25	103	4630 (472)	3280 (335)	1650 (168)	1850 (189)	2250 (229)	1480 (151)
410- SP -09	7.50	1.25	0.30	6.25	4.50	1.50	1.50	139.7 x 5.40	114.3 x 3.65	88.9 x 3.25	110	5100 (520)	3620 (369)	1810 (185)	2040 (208)	2480 (253)	1600 (163)
410- SP -10	8.00	1.50	0.30	6.50	4.50	1.75	1.75	114.3 x 3.65	88.9 x 3.25	76.1 x 3.25	70	2260 (230)	1600 (163)	804 (82)	902 (92)	1100 (112)	520 (53)
410- SP -11	8.00	1.50	0.30	6.50	4.50	1.75	1.75	114.3 x 4.50	88.9 x 4.05	76.1 x 3.25	83	2730 (278)	1930 (197)	971 (99)	1090 (111)	1320 (135)	618 (63)
410- SP -12	8.00	1.50	0.30	6.50	4.50	1.75	1.75	114.3 x 5.40	88.9 x 4.85	76.1 x 3.25	97	3190 (325)	2270 (231)	1130 (115)	1270 (130)	1550 (158)	725 (74)
410- SP -13	8.00	1.50	0.30	6.50	4.50	1.75	1.75	139.7 x 4.50	114.3 x 3.65	88.9 x 3.25	101	4160 (424)	2950 (301)	1480 (151)	1670 (170)	2020 (206)	1180 (120)
410- SP -14	8.00	1.50	0.30	6.50	4.50	1.75	1.75	139.7 x 4.85	114.3 x 4.50	88.9 x 3.25	111	4440 (453)	3160 (322)	1580 (161)	1770 (181)	2160 (220)	1280 (131)
410- SP -15	8.00	1.50	0.30	6.50	4.50	1.75	1.75	139.7 x 5.40	114.3 x 4.50	88.9 x 3.25	119	4890 (499)	3470 (354)	1740 (177)	1960 (200)	2380 (243)	1380 (140)
410- SP -16	8.50	1.50	0.30	7.00	5.00	1.75	1.75	114.3 x 3.65	88.9 x 3.25	76.1 x 3.25	75	2090 (213)	1480 (151)	745 (76)	834 (85)	1020 (104)	432 (44)
410- SP -17	8.50	1.50	0.30	7.00	5.00	1.75	1.75	114.3 x 4.50	88.9 x 4.05	76.1 x 3.25	89	2520 (257)	1790 (182)	893 (91)	1010 (103)	1230 (125)	510 (52)
410- SP -18	8.50	1.50	0.30	7.00	5.00	1.75	1.75	114.3 x 5.40	88.9 x 4.85	76.1 x 3.25	104	2950 (301)	2100 (214)	1050 (107)	1180 (120)	1430 (146)	598 (61)
410- SP -19	8.50	1.50	0.30	7.00	5.00	1.75	1.75	139.7 x 4.50	114.3 x 3.65	88.9 x 3.25	109	3844 (392)	2730 (278)	1360 (139)	1540 (157)	1800 (191)	961 (98)
410- SP -20	8.50	1.50	0.30	7.00	5.00	1.75	1.75	139.7 x 4.85	114.3 x 3.65	88.9 x 3.25	115	4110 (419)	2910 (297)	1460 (149)	1650 (168)	2000 (204)	1010 (103)
410- SP -21	8.50	1.50	0.30	7.00	5.00	1.75	1.75	139.7 x 5.40	114.3 x 4.50	88.9 x 3.25	129	4530 (462)	3220 (328)	1620 (164)	1810 (185)	2210 (225)	1130 (115)
410- SP -22	8.50	1.50	0.30	7.00	5.00	1.75	1.75	165.1 x 4.50	139.7 x 4.50	114.3 x 3.65	141	5450 (556)	3870 (395)	1930 (197)	2180 (222)	2650 (270)	1730 (176)
410- SP -23	8.50	1.50	0.30	7.00	5.00	1.75	1.75	165.1 x 4.85	139.7 x 4.50	114.3 x 3.65	148	5840 (596)	4150 (423)	2080 (212)	2330 (238)	2840 (290)	1820 (186)
410- SP -24	8.50	1.50	0.30	7.00	5.00	1.75	1.75	165.1 x 5.40	139.7 x 4.50	114.3 x 3.65	158	6450 (658)	4580 (467)	2340 (234)	2579 (263)	3140 (320)	1970 (201)
410- SP -25	9.00	1.50	0.30	7.50	5.00	2.00	2.00	114.3 x 3.65	88.9 x 3.25	76.1 x 3.25	78	1940 (198)	1380 (141)	686 (70)	775 (79)	941 (96)	333 (34)
410- SP -26	9.00	1.50	0.30	7.50	5.00	2.00	2.00	114.3 x 4.50	88.9 x 4.05	76.1 x 3.25	92	2340 (239)	1670 (170)	834 (85)	941 (96)	1140 (116)	402 (41)
410- SP -27	9.00	1.50	0.30	7.50	5.00	2.00	2.00	114.3 x 5.40	88.9 x 4.85	76.1 x 3.25	108	2750 (280)	1950 (199)	971 (99)	1100 (112)	1330 (136)	461 (47)
410- SP -28	9.00	1.50	0.30	7.50	5.00	2.00	2.00	139.7 x 4.50	114.3 x 3.65	88.9 x 3.25	113	3580 (365)	2540 (259)	1270 (130)	1430 (146)	1740 (177)	745 (76)
410- SP -29	9.00	1.50	0.30	7.50	5.00	2.00	2.00	139.7 x 4.85	114.3 x 4.50	88.9 x 3.25	125	3820 (390)	2720 (277)	1350 (138)	1530 (156)	1860 (190)	814 (83)
410- SP -30	9.00	1.50	0.30	7.50	5.00	2.00	2.00	139.7 x 5.40	114.3 x 4.50	88.9 x 3.25	133	4220 (430)	2990 (305)	1500 (153)	1690 (172)	2050 (209)	882 (90)
410- SP -31	9.00	1.50	0.30	7.50	5.00	2.00	2.00	165.1 x 4.50	139.7 x 4.50	114.3 x 3.65	147	5070 (517)	3600 (367)	1800 (184)	2030 (207)	2460 (251)	1360 (139)
410- SP -32	9.00	1.40	0.30	7.50	5.00	2.00	2.00	165.1 x 4.85	139.7 x 4.50	114.3 x 3.65	154	5430 (554)	3850 (393)	1930 (197)	2180 (222)	2640 (269)	1430 (146)
410- SP -33	9.00	1.40	0.30	7.50	5.00	2.00	2.00	165.1 x 5.40	139.7 x 4.50	114.3 x 3.65	164	6000 (612)	4270 (435)	2130 (217)	2410 (245)	2910 (297)	1540 (157)
410- SP -34	9.50	1.80	0.60	7.70	5.00	2.25	2.25	139.7 x 4.50	114.3 x 4.50	88.9 x 3.25	122	3630 (370)	2580 (263)	1280 (131)	1450 (148)	1760 (180)	745 (76)
410- SP -35	9.50	1.80	0.60	7.70	5.00	2.25	2.25	139.7 x 4.85	114.3 x 4.50	88.9 x 3.25	129	3880 (396)	2760 (281)	1390 (142)	1550 (158)	1880 (192)	784 (80)
410- SP -36	9.50	1.80	0.60	7.70	5.00	2.25	2.25	139.7 x 5.40	114.3 x 4.50	88.9 x 3.25	137	4280 (436)	3040 (310)	1520 (155)	1710 (174)	2080 (212)	833 (85)
410- SP -37	9.50	1.80	0.60	7.70	5.00	2.25	2.25	165.1 x 4.50	139.7 x 4.50	114.3 x 3.65	153	5150 (525)	3660 (373)	1820 (186)	2060 (210)	2500 (255)	1300 (133)
410- SP -38	9.50	1.80	0.60	7.70	5.00	2.25	2.25	165.1 x 4.85	139.7 x 4.50	114.3 x 3.65	160	5510 (562)	3910 (399)	1960 (200)	2210 (225)	2680 (273)	1370 (140)
410- SP -39	9.50	1.80	0.60	7.70	5.00	2.25	2.25	165.1 x 5.40	139.7 x 4.50	114.3 x 3.65	170	6090 (621)	4320 (441)	2160 (220)	2430 (248)	2960 (302)	1480 (151)
410- SP -40	10.00	1.80	0.60	8.20	5.20	2.40	2.40	139.7 x 4.50	114.3 x 4.50	88.9 x 3.25	128	3390 (346)	2410 (246)	1210 (123)	1350 (138)	1650 (168)	608 (62)
410- SP -41	10.00	1.80	0.60	8.20	5.20	2.40	2.40	139.7 x 4.85	114.3 x 4.50	88.9 x 3.25	135	3630 (370)	2580 (263)	1280 (131)	1450 (148)	1760 (180)	637 (65)
410- SP -42	10.00	1.80	0.60	8.20	5.20	2.40	2.40	139.7 x 5.40	114.3 x 4.50	88.9 x 3.25	144	3990 (407)	2830 (289)	1410 (144)	1600 (163)	1940 (198)	677 (69)
410- SP -43	10.00	1.80	0.60	8.20	5.20	2.40	2.40	165.1 x 4.50	139.7 x 4.50	114.3 x 3.65	160	4810 (490)	3410 (348)	1710 (174)	1920 (196)	2330 (238)	1060 (108)
410- SP -44	10.00	1.80	0.60	8.20	5.20	2.40	2.40	165.1 x 4.85	139.7 x 4.50	114.3 x 3.65	168	5150 (525)	3660 (373)	1820 (186)	2060 (210)	2500 (255)	1120 (114)
410- SP -45	10.00	1.80	0.60	8.20	5.20	2.40	2.40	165.1 x 5.40	139.7 x 4.50	114.3 x 3.65	178	5690 (580)	4040 (412)	2020 (206)	2280 (232)	2760 (282)	1200 (122)
410- SP -46	10.00	1.80	0.60	8.20	5.20	2.40	2.40	193.7 X 4.85	165.1 x 4.50	139.7 x 4.50	208	7210 (735)	5120 (522)	2560 (261)	2880 (294)	3500 (357)	1850 (189)
410- SP -47	10.00	1.80	0.60	8.20	5.20	2.40	2.40	193.7 X 5.40	165.1 x 4.50	139.7 x 4.50	221	7910 (807)	5620 (573)	2800 (286)	3170 (323)	3840 (392)	1990 (203)
410- SP -48	10.00	1.80	0.60	8.20	5.20	2.40	2.40	193.7 X 5.90	165.1 x 4.50	139.7 x 4.50	233	8620 (879)	6120 (624)	3060 (312)	3450 (352)	4190 (427)	2110 (215)
410- SP -49	11.00	1.80	0.60	9.20	5.60	2.70	2.70	139.7 x 4.50	114.3 x 4.50	88.9 x 3.25	140	3000 (306)	2130 (217)	1070 (109)	1200 (122)	1460 (149)	412 (42)
410- SP -50	11.00	1.80	0.60	9.20	5.60	2.70	2.70	139.7 x 4.85	114.3 x 4.50	88.9 x 3.25	147	3210 (327)	2280 (232)	1140 (116)	1280 (131)	1560 (159)	431 (44)
410- SP -51	11.00	1.80	0.60	9.20	5.60	2.70	2.70	139.7 x 5.40	114.3 x 4.50	88.9 x 3.25	164	3530 (360)	2510 (256)	1260 (128)	1410 (144)	1720 (175)	480 (49)
410- SP -52	11.00	1.80	0.60	9.20	5.60	2.70	2.70	165.1 x 4.50	139.7 x 4.50	114.3 x 3.65	175	4250 (433)	3010 (307)	1510 (154)	1700 (173)	2060 (210)	726 (74)
410- SP -53	11.00	1.80	0.60	9.20	5.60	2.70	2.70	165.1 x 4.85	139.7 x 4.50	114.3 x 3.65	183	4550 (464)	3230 (329)	1620 (165)	1820 (186)	2220 (226)	765 (78)
410- SP -54	11.00	1.80	0.60	9.20	5.60	2.70	2.70	165.1 x 5.40	139.7 x 4.50	114.3 x 3.65	194	5030 (513)	3570 (364)	1780 (182)	2010 (205)	2440 (249)	814 (83)
410- SP -55	11.00	1.80	0.60	9.20	5.60	2.70	2.70	193.7 X 4.85	165.1 x 4.50	139.7 x 4.50	227	6370 (650)	4530 (462)	2260 (231)	2550 (260)	3100 (316)	1270 (130)
410- SP -56	11.00	1.80	0.60	9.20	5.60	2.70	2.70	193.7 X 5.40	165.1 x 4.50	139.7 x 4.50	241	6990 (713)	4920 (502)	2480 (253)	2790 (285)	3400 (347)	1370 (140)
410- SP -57	11.00	1.80	0.60	9.20	5.60	2.70											

Pole Dimensional Specifications

DESIGNATION	OVERALL LENGTH	PLANTING DEPTH	LOAD APPLIED FROM THE TOP	HEAIGHT ABOVE GROUND	LENGTH OF SECTION			OUSTSIDE DIAMETER AND THICKNESS OF SECTIONS			APPROX WEIGHT OF POLE	BREAKING LOAD	CRIPPLING LOAD	WORKING LOAD		LOAD FOR PARMANENT SET NOT EXCEEDING 13 mm	LOAD FOR TEMPORARY DEFLECTION OF 157.5 mm
	(m)	(m)	(m)	(m)	Bottom h 3 (m)	Middle h 2 (m)	Top h 1 (m)	Bottom (mm)	Middle (mm)	Top (mm)	Kg	N(Kgf)	N(Kgf)	Col 14 2 N(kgf)	Col 13 2.5 N(kgf)	N(Kgf)	N(kgf)
540-SP-01	7.00	1.25	0.30	5.75	4.00	1.50	1.50	114.3 x 3.65	88.9 x 3.25	76.1 x 3.25	62	3360 (343)	2390 (244)	1200 (122)	1340 (137)	1640 (167)	785(80)
540-SP-02	7.00	1.25	0.30	5.75	4.00	1.50	1.50	114.3 x 4.50	88.9 x 4.05	76.1 x 3.25	73	4060 (414)	2880(294)	1440 (147)	1630(166)	1970 (201)	941(96)
540-SP-03	7.00	1.25	0.30	5.75	4.00	1.50	1.50	114.3 x 5.40	88.9 x 4.85	76.1 x 3.25	85	4750 (484)	3370(344)	1690(172)	1900(194)	2300(235)	1090 (111)
540-SP-04	7.50	1.25	0.30	6.25	4.50	1.50	1.50	114.3 x 3.65	88.9 x 3.25	76.1 x 3.25	67	3080 (314)	2190 (223)	1090 (111)	1240 (126)	1500 (153)	628 (64)
540-SP-05	7.50	1.25	0.30	6.25	4.50	1.50	1.50	114.3 x 4.50	88.9 x 4.05	76.1 x 3.25	79	3720 (379)	2640 (269)	1320 (135)	1490 (152)	1800 (184)	745 (76)
540-SP-06	7.50	1.25	0.30	6.25	4.50	1.50	1.50	114.3 x 5.40	88.9 x 4.85	76.1 x 3.25	93	4350 (444)	3090 (315)	1550 (158)	1750 (178)	2120 (216)	873 (89)
540-SP-07	7.50	1.25	0.30	6.25	4.50	1.50	1.50	139.7 x 4.50	114.3 x 3.65	88.9 x 3.25	97	5680 (579)	4030 (411)	2020(206)	2280 (232)	2760 (281)	1400 (143)
540-SP-08	7.50	1.25	0.30	6.25	4.50	1.50	1.50	139.7 x 4.85	114.3 x 3.65	88.9 x 3.25	103	6060 (618)	4300 (439)	2150 (219)	2420 (247)	2940 (300)	1480 (151)
540-SP-09	7.50	1.25	0.30	6.25	4.50	1.50	1.50	139.7 x 5.40	114.3 x 3.65	88.9 x 3.25	110	6680 (681)	4750 (484)	2370 (242)	2670 (272)	3250 (331)	1600 (163)
540-SP-10	8.00	1.50	0.30	6.50	4.50	1.75	1.75	114.3 x 3.65	88.9 x 3.25	76.1 x 3.25	70	2960 (302)	2090 (214)	1050 (107)	1190 (121)	1440 (147)	520 (53)
540-SP-11	8.00	1.50	0.30	6.50	4.50	1.75	1.75	114.3 x 4.50	88.9 x 4.05	76.1 x 3.25	83	3620 (369)	2570 (262)	1280 (131)	1450 (148)	1760 (179)	619 (63)
540-SP-12	8.00	1.50	0.30	6.50	4.50	1.75	1.75	114.3 x 5.40	88.9 x 4.85	76.1 x 3.25	97	4180 (426)	2960 (302)	1480 (151)	1670 (170)	2030 (207)	726 (74)
540-SP-13	8.00	1.50	0.30	6.50	4.50	1.75	1.75	139.7 x 4.50	114.3 x 3.65	88.9 x 3.25	101	5440 (555)	3860 (394)	1930 (197)	2180 (222)	2650 (270)	1180 (120)
540-SP-14	8.00	1.50	0.30	6.50	4.50	1.75	1.75	139.7 x 4.85	114.3 x 4.50	88.9 x 3.25	111	5820 (593)	4130 (421)	2070 (211)	2320 (237)	2820 (288)	1280 (131)
540-SP-15	8.00	1.50	0.30	6.50	4.50	1.75	1.75	139.7 x 5.40	114.3 x 4.50	88.9 x 3.25	119	6410 (654)	4550 (464)	2280 (232)	2570 (262)	3120 (318)	1370 (140)
540-SP-16	8.50	1.50	0.30	7.00	5.00	1.75	1.75	114.3 x 3.65	88.9 x 3.25	76.1 x 3.25	75	2740 (279)	1940 (198)	971 (99)	1100 (112)	1330 (136)	431 (44)
540-SP-17	8.50	1.50	0.30	7.00	5.00	1.75	1.75	114.3 x 4.50	88.9 x 4.05	76.1 x 3.25	89	3300 (337)	2340 (239)	1180 (120)	1320 (135)	1610 (164)	510 (52)
540-SP-18	8.50	1.50	0.30	7.00	5.00	1.75	1.75	114.3 x 5.40	88.9 x 4.85	76.1 x 3.25	104	3860 (394)	2750 (280)	1370 (140)	1550 (158)	1870 (191)	598 (61)
540-SP-19	8.50	1.50	0.30	7.00	5.00	1.75	1.75	139.7 x 4.50	114.3 x 3.65	88.9 x 3.25	109	5040 (514)	3580 (365)	1780 (182)	2020 (206)	2450 (250)	961 (98)
540-SP-20	8.50	1.50	0.30	7.00	5.00	1.75	1.75	139.7 x 4.85	114.3 x 3.65	88.9 x 3.25	115	5380 (549)	3820 (390)	1910 (195)	2160 (220)	2620 (267)	1010 (103)
540-SP-21	8.50	1.50	0.30	7.00	5.00	1.75	1.75	139.7 x 5.40	114.3 x 4.50	88.9 x 3.25	129	5930 (605)	4220 (430)	2110 (215)	2370 (242)	2880 (294)	1130 (115)
540-SP-22	8.50	1.50	0.30	7.00	5.00	1.75	1.75	165.1 x 4.50	139.7 x 4.50	114.3 x 3.65	141	7140 (728)	5070 (517)	2530(258)	2850 (291)	3570 (354)	1730 (176)
540-SP-23	8.50	1.50	0.30	7.00	5.00	1.75	1.75	165.1 x 4.85	139.7 x 4.50	114.3 x 3.65	148	7650 (780)	5430 (554)	2720 (277)	3060 (312)	3720 (379)	1820 (186)
540-SP-24	8.50	1.50	0.30	7.00	5.00	1.75	1.75	165.1 x 5.40	139.7 x 4.50	114.3 x 3.65	158	8450 (862)	6000 (612)	3000 (306)	3380 (345)	4110 (419)	1970 (201)
540-SP-25	9.00	1.50	0.30	7.50	5.00	2.00	2.00	114.3 x 3.65	88.9 x 3.25	76.1 x 3.25	78	2550 (260)	1810 (185)	902 (92)	1020 (104)	1240 (126)	333 (34)
540-SP-26	9.00	1.50	0.30	7.50	5.00	2.00	2.00	114.3 x 4.50	88.9 x 4.05	76.1 x 3.25	92	3070 (313)	2180 (222)	1090 (111)	1230 (125)	1490 (152)	402 (41)
540-SP-27	9.00	1.50	0.30	7.50	5.00	2.00	2.00	114.3 x 5.40	88.9 x 4.85	76.1 x 3.25	108	3600 (367)	2560 (261)	1280 (130)	1440 (147)	1750 (178)	461 (47)
540-SP-28	9.00	1.50	0.30	7.50	5.00	2.00	2.00	139.7 x 4.50	114.3 x 3.65	88.9 x 3.25	113	4690 (478)	3320 (339)	1670 (170)	1870 (191)	2280 (232)	745 (76)
540-SP-29	9.00	1.50	0.30	7.50	5.00	2.00	2.00	139.7 x 4.85	114.3 x 4.50	88.9 x 3.25	125	5010 (511)	3560 (363)	1780 (181)	2000 (204)	2430 (248)	814 (83)
540-SP-30	9.00	1.50	0.30	7.50	5.00	2.00	2.00	139.7 x 5.40	114.3 x 4.50	88.9 x 3.25	133	5520 (563)	3920 (400)	1960 (200)	2210 (225)	2690 (274)	883 (90)
540-SP-31	9.00	1.50	0.30	7.50	5.00	2.00	2.00	165.1 x 4.50	139.7 x 4.50	114.3 x 3.65	147	6650 (678)	4720 (481)	2360 (241)	2660 (271)	3240 (330)	1360 (139)
540-SP-32	9.00	1.40	0.30	7.50	5.00	2.00	2.00	165.1 x 4.85	139.7 x 4.50	114.3 x 3.65	154	7120 (726)	5050 (515)	2530 (258)	2840 (290)	3460 (353)	1430 (146)
540-SP-33	9.00	1.40	0.30	7.50	5.00	2.00	2.00	165.1 x 5.40	139.7 x 4.50	114.3 x 3.65	164	7860 (802)	5580 (569)	2800 (285)	3150 (321)	3820 (390)	1540 (157)
540-SP-34	9.50	1.80	0.60	7.70	5.00	2.25	2.25	139.7 x 4.50	114.3 x 4.50	88.9 x 3.25	122	4760 (485)	3370 (344)	1690 (172)	1900 (194)	2310 (236)	745 (76)
540-SP-35	9.50	1.80	0.60	7.70	5.00	2.25	2.25	139.7 x 4.85	114.3 x 4.50	88.9 x 3.25	129	5080 (518)	3610 (368)	1800 (184)	2030 (207)	2470 (252)	785 (80)
540-SP-36	9.50	1.80	0.60	7.70	5.00	2.25	2.25	139.7 x 5.40	114.3 x 4.50	88.9 x 3.25	137	5600 (571)	3970 (405)	1990 (203)	2240 (228)	2730 (278)	834(85)
540-SP-37	9.50	1.80	0.60	7.70	5.00	2.25	2.25	165.1 x 4.50	139.7 x 4.50	114.3 x 3.65	153	6740 (687)	4790 (488)	2390 (244)	2700 (275)	3280 (334)	1300 (133)
540-SP-38	9.50	1.80	0.60	7.70	5.00	2.25	2.25	165.1 x 4.85	139.7 x 4.50	114.3 x 3.65	160	7200 (736)	5130 (523)	2560 (261)	2880 (294)	3510 (358)	1370 (140)
540-SP-39	9.50	1.80	0.60	7.70	5.00	2.25	2.25	165.1 x 5.40	139.7 x 4.50	114.3 x 3.65	170	7970 (813)	5660 (577)	2830 (289)	3190 (325)	3870 (395)	1480 (151)
540-SP-40	10.00	1.80	0.60	8.20	5.20	2.40	2.40	139.7 x 4.50	114.3 x 4.50	88.9 x 3.25	128	4440 (453)	3160 (322)	1580 (161)	1780 (181)	2160 (220)	608 (62)
540-SP-41	10.00	1.80	0.60	8.20	5.20	2.40	2.40	139.7 x 4.85	114.3 x 4.50	88.9 x 3.25	135	4750 (484)	3370 (344)	1690 (172)	1900 (194)	2300 (235)	637 (65)
540-SP-42	10.00	1.80	0.60	8.20	5.20	2.40	2.40	139.7 x 5.40	114.3 x 4.50	88.9 x 3.25	144	5230 (533)	3710 (378)	1850 (189)	2090 (213)	2540 (259)	677 (69)
540-SP-43	10.00	1.80	0.60	8.20	5.20	2.40	2.40	165.1 x 4.50	139.7 x 4.50	114.3 x 3.65	160	6300 (642)	4470 (456)	2240 (228)	2520 (257)	3060 (312)	1060 (108)
540-SP-44	10.00	1.80	0.60	8.20	5.20	2.40	2.40	165.1 x 4.85	139.7 x 4.50	114.3 x 3.65	168	6750 (688)	4790 (488)	2390 (244)	2700 (275)	3280 (334)	1120 (114)
540-SP-45	10.00	1.80	0.60	8.20	5.20	2.40	2.40	165.1 x 5.40	139.7 x 4.50	114.3 x 3.65	178	7450 (760)	5300 (540)	2650 (270)	2980 (304)	3620 (369)	1200 (122)
540-SP-46	10.00	1.80	0.60	8.20	5.20	2.40	2.40	193.7 X 4.85	165.1 x 4.50	139.7 x 4.50	208	9440 (963)	6710 (684)	3350 (342)	3780 (385)	4590 (468)	1850 (189)
540-SP-47	10.00	1.80	0.60	8.20	5.20	2.40	2.40	193.7 X 5.40	165.1 x 4.50	139.7 x 4.50	221	10400 (1057)	7350 (750)	3680 (375)	4150 (423)	5040 (514)	1990 (203)
540-SP-48	10.00	1.80	0.60	8.20	5.20	2.40	2.40	193.7 X 5.90	165.1 x 4.50	139.7 x 4.50	233	11300 (1151)	8010 (817)	4010 (409)	4510 (460)	5480 (559)	2110 (215)
540-SP-49	11.00	1.80	0.60	9.20	5.60	2.70	2.70	139.7 x 4.50	114.3 x 4.50	88.9 x 3.25	140	3920 (400)	2790 (284)	1390 (142)	1570 (160)	1900 (194)	412 (42)
540-SP-50	11.00	1.80	0.60	9.20	5.60	2.70	2.70	139.7 x 4.85	114.3 x 4.50	88.9 x 3.25	147	4200 (428)	2980 (304)	1490 (152)	1680 (171)	2040 (208)	431 (44)
540-SP-51	11.00	1.80	0.60	9.20	5.60	2.70	2.70	139.7 x 5.40	114.3 x 4.50	88.9 x 3.25	164	4620 (471)	3280 (334)	1640 (167)	1840 (188)	2250 (229)	480 (49)
540-SP-52	11.00	1.80	0.60	9.20	5.60	2.70	2.70	165.1 x 4.50	139.7 x 4.50	114.3 x 3.65	175	5560 (567)	3950 (403)	1970 (201)	2230 (227)	2710 (276)	726 (74)
540-SP-53	11.00	1.80	0.60	9.20	5.60	2.70	2.70	165.1 x 4.85	139.7 x 4.50	114.3 x 3.65	183	5960 (608)	4240 (432)	2120 (216)	2380 (243)	2890 (295)	765 (78)
540-SP-54	11.00	1.80	0.60	9.20	5.60	2.70	2.70	165.1 x 5.40	139.7 x 4.50	114.3 x 3.65	194	6590 (672)	4680 (477)	2340 (239)	2640 (269)	2310 (327)	814 (83)
540-SP-55	11.00	1.80	0.60	9.20	5.60	2.70	2.70	193.7 X 4.85	165.1 x 4.50	139.7 x 4.50	227	8340 (851)	5920 (604)	2960 (302)	3330 (340)	4060 (414)	1270 (130)
540-SP-56	11.00	1.80	0.60	9.20	5.60	2.70	2.70	193.7 X 5.40	165.1 x 4.50	139.7 x 4.50	241	9160 (934)	6500 (663)	3260 (332)	3670 (		



Petrol Pump Street Light Pole

Street Light Pole



Tubular

Pole



Step Down Tubular Pole



Solar Pole & Structure




SS Street Light Pole



Decorative Pole



Decorative Pole, Square Decorative Pole & Control Panel Box



Contact Us

📍 1st Unit & Office:
237P/1A, Satin Sen Sarani, Bagmari,
Kolkata - 700054

📍 2nd Unit:
Ganex Complex, Mullicbagan, Amta
RaniHati Road, Howrah - 711322

✉ Email:
info@vaishalipoles.com

☎ Phone Numbers:
6290583038 | 9330127083 | 7439726008

🌐 Website:
www.vaishalipoles.in

